



US011901625B2

(12) **United States Patent**
Jia

(10) **Patent No.:** **US 11,901,625 B2**
(45) **Date of Patent:** **Feb. 13, 2024**

(54) **ANTENNA APPARATUS AND ELECTRONIC DEVICE**

(71) Applicant: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Guangdong (CN)

(72) Inventor: **Yuhu Jia**, Guangdong (CN)

(73) Assignee: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Dongguan (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 194 days.

(21) Appl. No.: **17/577,980**

(22) Filed: **Jan. 18, 2022**

(65) **Prior Publication Data**

US 2022/0173519 A1 Jun. 2, 2022

Related U.S. Application Data

(63) Continuation of application No. PCT/CN2020/115516, filed on Sep. 16, 2020.

(30) **Foreign Application Priority Data**

Sep. 30, 2019 (CN) 201910948454.4

(51) **Int. Cl.**
H01Q 15/00 (2006.01)
H01Q 1/24 (2006.01)

(Continued)

(52) **U.S. Cl.**
CPC **H01Q 15/0026** (2013.01); **H01Q 1/42** (2013.01); **H01Q 1/44** (2013.01); **H01Q 1/241** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 15/0026; H01Q 1/42; H01Q 1/44; H01Q 1/241; H01Q 1/425; H01Q 1/243;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,737,899 B1 6/2010 McKinzie, III
10,476,150 B2* 11/2019 Toyao H01Q 1/44
(Continued)

FOREIGN PATENT DOCUMENTS

CA 2976942 A1* 2/2018 H01Q 1/241
CN 2865038 Y 1/2007
(Continued)

OTHER PUBLICATIONS

PCT/CN2020/115516—English translation (Year: 2020).*
(Continued)

Primary Examiner — Vibol Tan


(74) *Attorney, Agent, or Firm* — Young Basile Hanlon & MacFarlane, P.C.

(57) **ABSTRACT**


An antenna apparatus and an electronic device are provided. The antenna apparatus includes an antenna module and an antenna radome. The antenna module is configured to receive and emit a radio frequency (RF) signal of a preset frequency band toward a preset direction range. The antenna radome is spaced apart from the antenna module, and located within the preset direction range. The antenna radome includes a substrate and a resonant structure carried on the substrate. The substrate is configured to allow a RF signal of a first preset frequency band to pass through, the resonant structure is configured to adjust a passband width of the substrate to the RF signal, to make the antenna radome allow a RF signal of a second frequency band to pass through. A bandwidth of the second frequency band is greater than that of the first frequency band.

20 Claims, 11 Drawing Sheets

230



230





US011901647B2

(12) **United States Patent**
Hiraoka et al.

(10) **Patent No.:** **US 11,901,647 B2**
(45) **Date of Patent:** **Feb. 13, 2024**

(54) **ANTENNA DEVICE**

(71) Applicant: **Sony Group Corporation**, Tokyo (JP)

(72) Inventors: **Yoshiaki Hiraoka**, Tokyo (JP);
Yuichiro Suzuki, Tokyo (JP);
Takayoshi Ito, Tokyo (JP); **Tomihiro Omuro**, Tokyo (JP); **Toru Ozone**, Tokyo (JP); **Jin Sato**, Tokyo (JP)

(73) Assignee: **SONY GROUP CORPORATION**, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 369 days.

(21) Appl. No.: **17/298,949**

(22) PCT Filed: **Dec. 13, 2018**

(86) PCT No.: **PCT/JP2018/045876**

§ 371 (c)(1),

(2) Date: **Jun. 2, 2021**

(87) PCT Pub. No.: **WO2020/121481**

PCT Pub. Date: **Jun. 18, 2020**

(65) **Prior Publication Data**

US 2022/0069467 A1 Mar. 3, 2022

(51) **Int. Cl.**

H01Q 5/35 (2015.01)

H01Q 9/42 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 5/35** (2015.01); **H01Q 1/22** (2013.01); **H01Q 1/2291** (2013.01); **H01Q 1/24** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC H01Q 5/35; H01Q 1/2291; H01Q 1/243; H01Q 9/42; H01Q 13/10; H01Q 1/48; H01Q 1/22; H01Q 1/24

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2015/0116169 A1* 4/2015 Ying H01Q 1/243 343/729

2015/0207228 A1* 7/2015 Oh H01Q 1/243 343/702

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2005-142739 A 6/2005

JP 2011-23853 A 2/2011

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion dated Jan. 29, 2019, received for PCT Application PCT/JP2018/045876, Filed on Dec. 13, 2018, 9 pages including English Translation.


Primary Examiner — Hai V Tran

(74) *Attorney, Agent, or Firm* — XSENSUS LLP

(57) **ABSTRACT**

To optimize space efficiency in mounting a plurality of antennas compatible with different frequencies. According to the present disclosure, provided is an antenna device including a first antenna that operates at a first frequency, and a second antenna that is provided adjacent to the first antenna, operates at a second frequency lower than the first frequency, and has a ground potential connected to a grounding wire provided at the first antenna.

18 Claims, 6 Drawing Sheets





US011909130B2

(12) **United States Patent**
Li

(10) **Patent No.:** **US 11,909,130 B2**
(45) **Date of Patent:** **Feb. 20, 2024**

- (54) **ANTENNA STRUCTURE AND COMMUNICATIONS TERMINAL**
- (71) Applicant: **VIVO MOBILE COMMUNICATION CO., LTD.**, Guangdong (CN)
- (72) Inventor: **Rihui Li**, Dongguan (CN)
- (73) Assignee: **VIVO MOBILE COMMUNICATION CO., LTD.**, Dongguan (CN)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 357 days.

(21) Appl. No.: **17/345,193**

(22) Filed: **Jun. 11, 2021**

(65) **Prior Publication Data**
US 2021/0305703 A1 Sep. 30, 2021

Related U.S. Application Data

(63) Continuation of application No. PCT/CN2019/117441, filed on Nov. 12, 2019.

(30) **Foreign Application Priority Data**

Dec. 12, 2018 (CN) 201811521132.3

(51) **Int. Cl.**
H01Q 5/328 (2015.01)
H01Q 5/335 (2015.01)
H01Q 9/04 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 9/0442** (2013.01); **H01Q 5/328** (2015.01); **H01Q 9/0414** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/24; H01Q 1/241; H01Q 1/243; H01Q 5/10; H01Q 5/328; H01Q 5/335;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 7,768,466 B2* 8/2010 Chi H01Q 9/26 343/741
- 9,980,018 B2* 5/2018 Wong H01Q 5/328
- 2009/0256763 A1 10/2009 Chi et al.
- 2013/0002501 A1* 1/2013 Li H01Q 5/35 343/866

(Continued)

FOREIGN PATENT DOCUMENTS

- CN 104283004 A 1/2015
- CN 104993241 A * 10/2015

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion of the International Searching Authority regarding International Patent Application No. PCT/CN2019/117441, dated Feb. 18, 2020. Translation provided by Bohui Intellectual Property.

(Continued)


Primary Examiner — Thai Pham

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **ABSTRACT**

An antenna structure includes a first antenna radiator, a second antenna radiator, and a first impedance matching circuit. The first antenna radiator and the second antenna radiator are disposed in a laminated or opposite manner, and a gap exists between the first antenna radiator and the second antenna radiator. The length of the first antenna radiator is greater than that of the second antenna radiator, and the resonant frequency band of the first antenna radiator is smaller than that of the second antenna radiator. The first end of the first antenna radiator is grounded, a first feeding point is provided on the first antenna radiator. The first end of the second antenna radiator is grounded, a second feeding point is provided on the second antenna radiator, and the second feeding point is connected to a second signal source.

20 Claims, 4 Drawing Sheets





US011916282B2

(12) **United States Patent**
Wu et al.

(10) **Patent No.:** **US 11,916,282 B2**
(45) **Date of Patent:** **Feb. 27, 2024**

(54) **COUPLING ANTENNA APPARATUS AND ELECTRONIC DEVICE**

(71) Applicant: **HUAWEI TECHNOLOGIES CO., LTD.**, Guangdong (CN)

(72) Inventors: **Pengfei Wu**, Shanghai (CN); **Chien-Ming Lee**, Shenzhen (CN); **Dong Yu**, Shanghai (CN); **Chih Yu Tsai**, Taiwan (CN); **Chih-Hua Chang**, Taiwan (CN); **Arun Sowpati**, Shenzhen (CN)

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 394 days.

(21) Appl. No.: **17/290,904**

(22) PCT Filed: **Nov. 5, 2019**

(86) PCT No.: **PCT/CN2019/115493**

§ 371 (c)(1),

(2) Date: **May 3, 2021**

(87) PCT Pub. No.: **WO2020/093985**

PCT Pub. Date: **May 14, 2020**

(65) **Prior Publication Data**

US 2021/0376452 A1 Dec. 2, 2021

(30) **Foreign Application Priority Data**

Nov. 6, 2018 (CN) 201811312284.2

Nov. 15, 2018 (CN) 201811362920.2

(51) **Int. Cl.**

H01Q 1/24 (2006.01)

H01Q 5/35 (2015.01)

(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/22** (2013.01); **H01Q 1/242** (2013.01); **H01Q 1/244** (2013.01); **H01Q 5/357** (2015.01); **H01Q 13/10** (2013.01)

(58) **Field of Classification Search**

CPC H01Q 1/243; H01Q 5/357; H01Q 13/10; H01Q 5/328; H01Q 7/00; H01Q 1/48; (Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,368,602 B2* 2/2013 Hill H01Q 9/285 343/702

8,698,677 B2* 4/2014 Bungo H01Q 9/42 343/893

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101958454 A 1/2011

CN 101958455 A 1/2011

(Continued)

OTHER PUBLICATIONS

Chinese Office Action for Application No. 201980073182.6 dated Nov. 23, 2021, 12 pages.


(Continued)

Primary Examiner — Vibol Tan

(57) **ABSTRACT**

An antenna apparatus includes a feeding antenna inside an electronic device and one or more antenna elements, such as a floating metal antenna, disposed on a rear cover of the electronic device. The floating metal antenna and a feeding antenna inside the electronic device may form a coupling antenna structure. The feeding antenna may be an antenna fastened on an antenna support (which may be referred to as a support antenna). The feeding antenna may alternatively be a slot antenna formed by slitting on a metal middle frame of the electronic device. The antenna apparatus may be

(Continued)





US011916283B2

(12) **United States Patent**
Yoon et al.

(10) **Patent No.:** **US 11,916,283 B2**
(45) **Date of Patent:** **Feb. 27, 2024**

- (54) **COMPACTED ANTENNA MODULE WITH IMPROVED PERFORMANCE FOR ELECTRONIC DEVICE**
- (71) Applicant: **Samsung Display Co., Ltd.**, Yongin-Si (KR)
- (72) Inventors: **Sangrook Yoon**, Hwaseong-si (KR); **Kiseo Kim**, Yongin-si (KR)
- (73) Assignee: **Samsung Display Co., Ltd.**, Yongin-Si (KR)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 193 days.

(21) Appl. No.: **17/463,036**

(22) Filed: **Aug. 31, 2021**

(65) **Prior Publication Data**
US 2022/0190466 A1 Jun. 16, 2022

(30) **Foreign Application Priority Data**
Dec. 16, 2020 (KR) 10-2020-0176478

- (51) **Int. Cl.**
H01Q 1/24 (2006.01)
H04M 1/02 (2006.01)
(Continued)
- (52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **G06F 3/0443** (2019.05); **H01Q 9/065** (2013.01); **H04M 1/0268** (2013.01); **H04M 1/0277** (2013.01)
- (58) **Field of Classification Search**
CPC H05K 1/00; H05K 5/0017; H05K 5/0018; H05K 5/0247; H01Q 1/243; H01Q 1/364
See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
9,543,542 B2 1/2017 Kim et al.
10,381,750 B2 8/2019 Jung et al.
(Continued)
- FOREIGN PATENT DOCUMENTS
JP 6000298 B2 9/2016
KR 10-2010-0041208 A 4/2010
(Continued)

OTHER PUBLICATIONS


Syamimi Mohd Norzeli, Ismarani Ismail, Norashidah Md Din, Mohd Tarmizi Ali , Sobhan Saravani, and Ali Abd Almisreb, "Design of High Gain Microstrip Patch Reader Array Antenna with Parasitic Elements for UHF RFID Application", International Journal of Engineering & Technology, 7 (4.35) (2018) 463-467, 5 pages, Institute of Energy Infrastructure, UNITEN Kajang, Selangor 43000, Malaysia, Faculty of Electrical Engineering (FKE), UiTM Shah Alam, Selangor 40450, Malaysia.
(Continued)

Primary Examiner — Yuwen Pan
Assistant Examiner — Angelica Perez
(74) *Attorney, Agent, or Firm* — Innovation Counsel LLP

(57) **ABSTRACT**

An electronic device includes a base layer including a flat region and a bendable region extending from the flat region, a display module disposed on the base layer and overlapping the flat region, a window disposed on the display module and having a display region and a non-display region adjacent to the display region, and an antenna layer overlapping the non-display region of the window and disposed on one side of the display module, wherein the antenna layer includes an antenna module and an insulating layer surrounding the antenna module.

20 Claims, 10 Drawing Sheets





US011916286B2

(12) **United States Patent**
Wei et al.

(10) **Patent No.:** **US 11,916,286 B2**
(45) **Date of Patent:** **Feb. 27, 2024**

(54) **ELECTRONIC DEVICE AND ANTENNA FEEDING DEVICE**

(71) Applicant: **WISTRON NEWEB CORPORATION**, Hsinchu (TW)

(72) Inventors: **Shih-Chiang Wei**, Hsinchu (TW);
Hsieh-Chih Lin, Hsinchu (TW)

(73) Assignee: **WISTRON NEWEB CORPORATION**, Hsinchu (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 296 days.

(21) Appl. No.: **17/348,838**

(22) Filed: **Jun. 16, 2021**

(65) **Prior Publication Data**
US 2022/0285833 A1 Sep. 8, 2022

(30) **Foreign Application Priority Data**
Mar. 8, 2021 (TW) 110108128

(51) **Int. Cl.**
H01Q 1/48 (2006.01)
H01Q 1/50 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/48** (2013.01); **H01Q 1/50** (2013.01); **H05K 9/0067** (2013.01); **H01Q 1/241** (2013.01); **H01Q 1/38** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/48; H01Q 1/38; H01Q 1/243; H01Q 1/50; H01Q 1/241; H01Q 5/378;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,045,312 B2 * 10/2011 Shrier H05K 1/0256
361/111
8,577,289 B2 * 11/2013 Schlub G01B 7/023
343/702

(Continued)

FOREIGN PATENT DOCUMENTS

CN 202183791 U 4/2012
DE 10204079 A1 * 8/2003 H01Q 1/243

(Continued)

Primary Examiner — Dimary S Lopez Cruz


Assistant Examiner — Brandon Sean Woods

(74) *Attorney, Agent, or Firm* — McClure, Qualey & Rodack, LLP

(57) **ABSTRACT**

An electronic device and an antenna feeding device are provided. The electronic device includes a metal housing, a radiation element, a substrate, a grounding element and an electrostatic protection element. The antenna feeding device includes a substrate, a grounding element, and an electrostatic protection element. The radiation element is arranged along the edge of the electronic device, and the radiation element and the metal housing are separated from each other. The substrate is arranged on the metal housing. The substrate includes a feeding portion and a grounding portion, and the feeding portion is coupled to the radiating element. The grounding portion is coupled to the metal housing. The grounding element is electrically connected to the metal housing, and the grounding element is coupled to the grounding portion. The electrostatic protection element is electrically connected between the feeding portion and the grounding portion.

18 Claims, 7 Drawing Sheets





US011916293B2

(12) **United States Patent**
Hwang et al.

(10) **Patent No.:** **US 11,916,293 B2**
(45) **Date of Patent:** **Feb. 27, 2024**

(54) **ANTENNA STRUCTURE AND WIRELESS COMMUNICATION DEVICE**

(71) Applicant: **DELTA ELECTRONICS, INC.**,
Taoyuan (TW)
(72) Inventors: **Chieh-Tsao Hwang**, Taoyuan (TW);
Siang-Rong Hsu, Taoyuan (TW);
Yen-Ting Chen, Taoyuan (TW)

(73) Assignee: **DELTA ELECTRONICS, INC.**,
Taoyuan (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 18 days.

(21) Appl. No.: **17/450,556**

(22) Filed: **Oct. 11, 2021**

(65) **Prior Publication Data**
US 2022/0336958 A1 Oct. 20, 2022

(30) **Foreign Application Priority Data**
Apr. 16, 2021 (CN) 202110411522.0

(51) **Int. Cl.**
H01Q 13/10 (2006.01)
H01Q 1/48 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 13/10** (2013.01); **H01Q 1/48** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 13/10; H01Q 13/106; H01Q 21/08; H01Q 1/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,405,553 B2 * 3/2013 Pintos H01Q 1/243
343/700 MS
10,873,124 B2 12/2020 Chen et al.
2015/0263430 A1 * 9/2015 Lin H01Q 5/40
343/767

(Continued)

FOREIGN PATENT DOCUMENTS

CN 110635229 A 12/2019
EP 2224539 A1 9/2010

(Continued)

OTHER PUBLICATIONS

Ramesh et al. "Design and Analysis of Dual Band MIMO Antenna System for GPS and IoT Wireless Applications", Intl. Journal of Innovative and Exploring Engineering, Mar. 2019 (Year: 2019).*

(Continued)



Primary Examiner — Ricardo I Magallanes
(74) *Attorney, Agent, or Firm* — CKC & Partners Co., LLC

(57) **ABSTRACT**

An antenna structure is provided, which includes a substrate, an antenna unit and a metal ground. The substrate includes a first surface and a second surface; the antenna unit disposed on the first surface includes a radiation part, a feeding part and a feeding line, where the feeding line includes a first transmission line and a second transmission line that are perpendicular to each other and connected to each other, and the first transmission line is connected to the radiation part via the feeding part; and the metal ground disposed on the second surface has an edge which is perpendicular to projection of the radiation part to the metal ground; and a resonance slot is disposed on the metal ground, and its position corresponds between projection of the second transmission line to the metal ground and the edge.

4 Claims, 7 Drawing Sheets

100





US011916294B2

(12) **United States Patent**
Yoshikawa

(10) **Patent No.:** **US 11,916,294 B2**
(45) **Date of Patent:** **Feb. 27, 2024**

(54) **ANTENNA, WIRELESS COMMUNICATION MODULE, AND WIRELESS COMMUNICATION DEVICE**

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 1/521; H01Q 5/35; H01Q 21/065; H01Q 5/371; H01Q 5/378;
(Continued)

(71) Applicant: **KYOCERA CORPORATION**, Kyoto (JP)

(56) **References Cited**

(72) Inventor: **Hiroichi Yoshikawa**, Yokohama (JP)

U.S. PATENT DOCUMENTS

(73) Assignee: **KYOCERA CORPORATION**, Kyoto (JP)

4,827,271 A 5/1989 Berneking et al.
10,033,088 B2 7/2018 Zhang et al.
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 400 days.

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17/286,820**

CN 105210232 A 12/2015
EP 2940795 A1 11/2015
JP 2017504274 A 2/2017

(22) PCT Filed: **Oct. 25, 2019**

Primary Examiner — Linh V Nguyen

(86) PCT No.: **PCT/JP2019/042059**

(74) *Attorney, Agent, or Firm* — HAUPTMAN HAM, LLP

§ 371 (c)(1),
(2) Date: **Apr. 20, 2021**

(57) **ABSTRACT**

(87) PCT Pub. No.: **WO2020/090692**

PCT Pub. Date: **May 7, 2020**

In an antenna, a first antenna element includes a first radiation conductor and a first feeder line. A second antenna element includes a second radiation conductor and a second feeder line. A second feeder line is coupled to the first feeder line such that a first component, which is a capacitance component or an inductance component, is dominant. A first coupler couples the first and second feeder lines such that a second component different from the first component is dominant. The first and second radiation conductors are arranged at interval of 1/2 or less of resonance wavelength. The second feeder line is coupled to the first radiation conductor such that a third component, which is the capacitance component or the inductance component, is dominant. The first coupling portion couples the first radiation conductor and the second feeder line such that a fourth component different from the third component is dominant.

(65) **Prior Publication Data**

US 2021/0359418 A1 Nov. 18, 2021


(30) **Foreign Application Priority Data**

Oct. 31, 2018 (JP) 2018-206004

(51) **Int. Cl.**
H01Q 13/18 (2006.01)
H01Q 1/52 (2006.01)
H01Q 21/06 (2006.01)

(52) **U.S. Cl.**
CPC **H01Q 13/18** (2013.01); **H01Q 1/52** (2013.01); **H01Q 21/06** (2013.01)

20 Claims, 14 Drawing Sheets





US011923599B2

(12) **United States Patent**
Hsu et al.

(10) **Patent No.:** **US 11,923,599 B2**
(45) **Date of Patent:** ***Mar. 5, 2024**

(54) **ANTENNA STRUCTURE AND WIRELESS COMMUNICATION DEVICE USING SAME**

(71) Applicant: **Chiun Mai Communication Systems, Inc.,** New Taipei (TW)

(72) Inventors: **Cho-Kang Hsu,** New Taipei (TW);
Min-Hui Ho, New Taipei (TW)

(73) Assignee: **Chiun Mai Communication Systems, Inc.,** New Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 114 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **17/408,755**

(22) Filed: **Aug. 23, 2021**

(65) **Prior Publication Data**

US 2022/0069468 A1 Mar. 3, 2022

(30) **Foreign Application Priority Data**

Aug. 28, 2020 (CN) 202010888026.X

(51) **Int. Cl.**

H01Q 1/24 (2006.01)
H01Q 1/44 (2006.01)
H01Q 5/20 (2015.01)
H01Q 5/35 (2015.01)
H01Q 5/50 (2015.01)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 1/44** (2013.01); **H01Q 5/20** (2015.01); **H01Q 5/35** (2015.01); **H01Q 5/50** (2015.01)

(58) **Field of Classification Search**

CPC H01Q 1/243
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

10,516,772 B2* 12/2019 Lee H01Q 5/35
10,651,542 B2* 5/2020 Choi H01Q 9/42
10,886,614 B2* 1/2021 Lee H01Q 9/30
10,931,034 B2* 2/2021 Zhu H01Q 21/28

(Continued)

FOREIGN PATENT DOCUMENTS

CN 205543232 U 8/2016
CN 107275760 A 10/2017

(Continued)


Primary Examiner — Ab Salam Alkassim, Jr.

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **ABSTRACT**

An antenna structure applied in a wireless communication device includes a metal frame, a first feed portion, a second feed portion, and a ground portion. The metal frame defines a first gap and a second gap. A portion of the metal frame positioned between the first gap and the second gap forms the first radiation portion. The first feed portion is electrically connected to the first radiation portion and a first signal feed point for feeding current and signals to the first radiation portion. The second feed portion is positioned apart from the first feed portion, electrically connected to the first radiation portion and a second signal feed point for feeding current and signal to the first radiation portion. The ground portion is positioned between the first feed portion and the second feed portion and is connected to the first radiation portion for grounding the first radiation portion.

13 Claims, 13 Drawing Sheets





US011923610B2

(12) **United States Patent**
Park et al.

(10) **Patent No.:** **US 11,923,610 B2**
(45) **Date of Patent:** **Mar. 5, 2024**

(54) **ANTENNA ARRAY**

(71) Applicants: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR); **HONGIK UNIVERSITY INDUSTRY-ACADEMIA COOPERATION FOUNDATION**,
Seoul (KR)

(72) Inventors: **Jae-Hyun Park**, Suwon-si (KR); **Jeong-Hae Lee**, Seoul (KR); **Min-Seo Park**, Changwon-si (KR); **Young-Ho Ryu**, Yongin-si (KR); **Sung-Bum Park**, Suwon-si (KR); **Kwi-Seob Um**, Seoul (KR); **Chong-Min Lee**, Seoul (KR); **Chang-Hyun Lee**, Incheon (KR)

(73) Assignees: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR); **HONGIK UNIVERSITY INDUSTRY-ACADEMIA COOPERATION FOUNDATION**,
Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1395 days.

(21) Appl. No.: **16/331,858**

(22) PCT Filed: **May 24, 2017**

(86) PCT No.: **PCT/KR2017/005417**

§ 371 (c)(1),
(2) Date: **Sep. 12, 2019**

(87) PCT Pub. No.: **WO2018/048061**

PCT Pub. Date: **Mar. 15, 2018**

(65) **Prior Publication Data**

US 2023/0198164 A1 Jun. 22, 2023

(30) **Foreign Application Priority Data**

Sep. 9, 2016 (KR) 10-2016-0116207

(51) **Int. Cl.**
H01Q 1/52 (2006.01)
H01Q 1/48 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/065** (2013.01); **H01Q 1/48** (2013.01); **H01Q 1/523** (2013.01); **H01Q 9/0421** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 1/38-48; H01Q 1/521-523; H01Q 9/0407-0421; H01Q 21/065
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,079,079 B2* 7/2006 Jo H01Q 9/0421
343/702
9,196,951 B2* 11/2015 Baks H01Q 1/2283
(Continued)

FOREIGN PATENT DOCUMENTS

JP 2013-247403 A 12/2013
JP 2016-105583 A 6/2016
(Continued)

OTHER PUBLICATIONS

Korean Decision on Grant dated Mar. 8, 2023, issued in Korean Application No. 10-2016-0116207.


Primary Examiner — Hasan Islam

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(57) **ABSTRACT**

In various embodiments, an antenna array may comprise a dielectric; a first patch antenna disposed on a first region of the dielectric; a second patch antenna disposed on a second region of the dielectric; and a ground layer including a first sub-ground layer in contact with a lower portion of the first region of the dielectric, a third sub-ground layer in contact with a lower portion of the second region of the dielectric,

(Continued)





US011923622B2

(12) **United States Patent**
Gao et al.

(10) **Patent No.:** **US 11,923,622 B2**
(45) **Date of Patent:** **Mar. 5, 2024**

- (54) **ANTENNA AND WIRELESS COMMUNICATION DEVICE**
- (71) Applicant: **Nokia Solutions and Networks Oy**, Espoo (FI)
- (72) Inventors: **Fei Gao**, Shanghai (CN); **Chaojun Xu**, Shanghai (CN); **Gang Shen**, Shanghai (CN)
- (73) Assignee: **Nokia Solutions and Networks Oy**, Espoo (FI)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 542 days.

(58) **Field of Classification Search**
 CPC H01Q 7/00; H01Q 5/385; H01Q 1/38
 USPC 343/866
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,263,789 B2*	2/2016	Breiter	H01Q 1/243
2007/0080885 A1	4/2007	Ozkar et al.	343/806
2007/0182658 A1	8/2007	Ozden	343/866
2012/0001815 A1*	1/2012	Wong	H01Q 9/0421
				343/843
2012/0169553 A1	7/2012	Nomura et al.	343/741

FOREIGN PATENT DOCUMENTS

EP	1 739 788 A1	1/2007
KR	2014-0119534	10/2014
WO	WO-2012/069884 A1	5/2012
WO	WO 2013/115147 A1	8/2013
WO	WO 2017/083142 A1	5/2017

* cited by examiner


Primary Examiner — Peguy Jean Pierre
(74) *Attorney, Agent, or Firm* — Harrington & Smith

(57) **ABSTRACT**

In accordance with some embodiments, there is provided an apparatus. The apparatus includes a conductive loop; a first conductive member electromagnetically coupled to the conductive loop and galvanically coupled to a radio frequency circuit; a second conductive member arranged across and electromagnetically coupled to the conductive loop; and a third conductive member arranged across and electromagnetically coupled to the conductive loop, the third conductive member being spaced apart from the second conductive member and electromagnetically coupled to the first conductive member.

15 Claims, 6 Drawing Sheets

- (21) Appl. No.: **17/264,349**
- (22) PCT Filed: **Aug. 2, 2018**
- (86) PCT No.: **PCT/CN2018/098382**
§ 371 (c)(1),
(2) Date: **Jan. 29, 2021**
- (87) PCT Pub. No.: **WO2020/024232**
PCT Pub. Date: **Feb. 6, 2020**
- (65) **Prior Publication Data**
US 2021/0296775 A1 Sep. 23, 2021
- (51) **Int. Cl.**
H01Q 1/38 (2006.01)
H01Q 5/385 (2015.01)
H01Q 7/00 (2006.01)
- (52) **U.S. Cl.**
CPC **H01Q 7/00** (2013.01); **H01Q 1/38** (2013.01); **H01Q 5/385** (2015.01)





US011923625B2

(12) **United States Patent**
Kim

(10) **Patent No.:** **US 11,923,625 B2**
(45) **Date of Patent:** **Mar. 5, 2024**

(54) **PATCH ANTENNA AND ARRAY ANTENNA**
COMPRISING SAME

- (71) Applicant: **ATCODI CO., LTD**, Seoul (KR)
- (72) Inventor: **Jeong Pyo Kim**, Suwon-si (KR)
- (73) Assignee: **ATCODI CO., LTD**, Seoul (KR)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 258 days.

- (21) Appl. No.: **17/610,373**
- (22) PCT Filed: **Jun. 10, 2019**
- (86) PCT No.: **PCT/KR2019/006923**
§ 371 (c)(1),
(2) Date: **Nov. 10, 2021**
- (87) PCT Pub. No.: **WO2020/251064**
PCT Pub. Date: **Dec. 17, 2020**

(65) **Prior Publication Data**
US 2022/0224012 A1 Jul. 14, 2022

- (51) **Int. Cl.**
H01Q 9/04 (2006.01)
H01Q 21/08 (2006.01)
- (52) **U.S. Cl.**
CPC **H01Q 9/045** (2013.01); **H01Q 21/08** (2013.01)
- (58) **Field of Classification Search**
CPC H01Q 9/045; H01Q 21/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,400,040 A * 3/1995 Lane H01Q 1/286 343/822
- 5,408,241 A * 4/1995 Shattuck, Jr. H01Q 9/0414 343/846
- 6,049,309 A * 4/2000 Timoshin H01Q 9/0407 343/700 MS
- 6,087,989 A * 7/2000 Song H01Q 21/08 343/803

(Continued)

FOREIGN PATENT DOCUMENTS

- CN 107134646 A * 9/2017 H01Q 1/38
- EP 688040 A2 * 12/1995 H01Q 21/08

(Continued)

OTHER PUBLICATIONS

Agarwal et al., A Novel Reconfigurable patch Antenna with Parasitic Patch, Mar. 2019, 6th International Conference on Signal Processing and Integrated networks (SPIN) (Year: 2019).*


(Continued)

Primary Examiner — Ricardo I Magallanes
Assistant Examiner — Jordan E. DeWitt
(74) *Attorney, Agent, or Firm* — LRK PATENT LAW FIRM

(57) **ABSTRACT**

A patch antenna includes: a substrate; a first radiator disposed on the substrate and having a first shape; a second radiator disposed on the substrate while being spaced a predetermined distance apart from the first radiator, and having a second shape; and a power feeder which supplies a power feed signal to the first radiator, wherein the first radiator includes a first outer edge portion straightly formed in the horizontal direction and second outer edge portions vertically formed from both ends of the first outer edge portion.

12 Claims, 7 Drawing Sheets





US011923626B2

(12) **United States Patent**
Chang et al.

(10) **Patent No.:** **US 11,923,626 B2**
(45) **Date of Patent:** **Mar. 5, 2024**

(54) **ANTENNA APPARATUS AND MOBILE TERMINAL**

(52) **U.S. Cl.**
CPC **H01Q 9/40** (2013.01); **H01Q 1/48** (2013.01); **H01Q 9/20** (2013.01); **H01Q 13/10** (2013.01)

(71) Applicant: **Huawei Technologies Co., Ltd.**, Shenzhen (CN)

(58) **Field of Classification Search**
CPC .. H01Q 9/40; H01Q 1/48; H01Q 9/20; H01Q 13/10

(72) Inventors: **Le Chang**, Shenzhen (CN); **Yafang Yu**, Shenzhen (CN); **Kunpeng Wei**, Shenzhen (CN); **Dawei Zhou**, Shenzhen (CN); **Dong Yu**, Shanghai (CN); **Hanyang Wang**, Reading (GB)

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **HUAWEI TECHNOLOGIES CO., LTD.**, Shenzhen (CN)

8,085,202 B2 * 12/2011 Ayatollahi H01Q 1/521 343/702
8,599,084 B2 * 12/2013 Wong H01Q 5/40 343/749

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 264 days.

(Continued)

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17/610,972**

CN 102610908 A 7/2012
CN 202633501 U 12/2012

(22) PCT Filed: **Mar. 5, 2020**

(Continued)

(86) PCT No.: **PCT/CN2020/078006**

OTHER PUBLICATIONS

§ 371 (c)(1),
(2) Date: **Nov. 12, 2021**

Eldek, A. A., et al., "Rectangular Slot Antenna With Patch Stub for Ultra Wideband Applications and Phased Array Systems," Progress in Electromagnetics Research, vol. 53, Feb. 5, 2005, pp. 227-237, XP055621121.

(87) PCT Pub. No.: **WO2020/228399**

PCT Pub. Date: **Nov. 19, 2020**

(Continued)

(65) **Prior Publication Data**

US 2022/0239004 A1 Jul. 28, 2022

Primary Examiner — Hai V Tran

(74) Attorney, Agent, or Firm — Conley Rose, P.C.

(30) **Foreign Application Priority Data**

May 13, 2019 (CN) 201910401967.3


(57) **ABSTRACT**

An antenna apparatus includes a grounding plate, a monopole, a first feeding component, and a second feeding component. A slot on the grounding plate includes a first slot and a second slot that interpenetrate each other, the second slot extends from the first slot to an edge of the grounding plate. The monopole includes a first stub and a second stub extending from the first stub to the second slot, the second

(51) **Int. Cl.**
H01Q 9/40 (2006.01)
H01Q 1/48 (2006.01)

(Continued)

(Continued)





US011923886B2

(12) **United States Patent**
Chen et al.

(10) **Patent No.:** **US 11,923,886 B2**
(45) **Date of Patent:** **Mar. 5, 2024**

(54) **ANTENNA DEVICE AND METHOD FOR CONFIGURING THE SAME**

(71) Applicants: **Jihh-Ciang Chen**, Taipei (TW); **Shih-Chia Liu**, Taipei (TW); **Yen-Hao Yu**, Taipei (TW); **Li-Chun Lee**, Taipei (TW); **Yan-Ming Lin**, Taipei (TW); **Jui-Hung Lai**, Taipei (TW)

(72) Inventors: **Jihh-Ciang Chen**, Taipei (TW); **Shih-Chia Liu**, Taipei (TW); **Yen-Hao Yu**, Taipei (TW); **Li-Chun Lee**, Taipei (TW); **Yan-Ming Lin**, Taipei (TW); **Jui-Hung Lai**, Taipei (TW)

(73) Assignee: **COMPAL ELECTRONICS, INC.**, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 384 days.

(21) Appl. No.: **17/458,552**

(22) Filed: **Aug. 27, 2021**

(65) **Prior Publication Data**
US 2022/0263531 A1 Aug. 18, 2022

Related U.S. Application Data
(60) Provisional application No. 63/121,208, filed on Dec. 3, 2020.

(51) **Int. Cl.**
H01Q 1/48 (2006.01)
H01Q 9/42 (2006.01)
H04B 1/3827 (2015.01)

(52) **U.S. Cl.**
CPC **H04B 1/3838** (2013.01); **H01Q 1/48** (2013.01); **H01Q 9/42** (2013.01)

(58) **Field of Classification Search**
CPC H04B 1/3838; H01Q 1/48; H01Q 9/42
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
6,592,245 B1 * 7/2003 Tribelsky G02B 6/001 362/559
6,711,280 B2 * 3/2004 Stafstudd G06V 10/255 348/622
7,446,716 B2 * 11/2008 Watanabe H01Q 9/285 343/702

(Continued)

FOREIGN PATENT DOCUMENTS

TW 201814959 4/2018
TW 201911647 3/2019

OTHER PUBLICATIONS


“Office Action of Taiwan Counterpart Application”, dated May 24, 2022, p. 1-p. 8.

Primary Examiner — Hai V Nguyen

(74) *Attorney, Agent, or Firm* — JCIPRNET

(57) **ABSTRACT**
An antenna device and a method for configuring the same are provided. The antenna device includes a grounding metal, a grounding part, a radiating part, a feeding part, a proximity sensor, and a sensing metal. The radiating part is electrically connected to the grounding metal through the grounding part. The feeding part is coupled to the grounding metal through a feeding point. The sensing metal is electrically connected to the proximity sensor. The sensing metal is separated from the radiating part at a distance. The distance is less than or equal to one thousandth of a wavelength corresponding to an operating frequency of the antenna device.

22 Claims, 6 Drawing Sheets





US011929546B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 11,929,546 B2**
(45) **Date of Patent:** **Mar. 12, 2024**

(54) **ELECTRONIC DEVICE COMPRISING
ARRAY ANTENNA**

(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 9/0407; H01Q 9/16;
H05K 1/142; H05K 5/0017; H05K
5/0226;

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Gyeonggi-do (KR)

(Continued)

(72) Inventors: **Jaehyung Kim**, Gyeonggi-do (KR);
Jinkyu Bang, Gyeonggi-do (KR);
Jaebong Chun, Gyeonggi-do (KR)

(56) **References Cited**

U.S. PATENT DOCUMENTS

(73) Assignee: **Samsung Electronics Co., Ltd** (KR)

5,990,839 A 11/1999 Scheffe et al.
8,917,218 B2* 12/2014 Kato H01Q 7/00
343/788

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 599 days.

(Continued)

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **17259,445**

CN 105896071 8/2016
KR 20010006237 1/2001

(22) PCT Filed: **Jul. 11, 2019**

(Continued)

(86) PCT No.: **PCT/KR2019/008557**

OTHER PUBLICATIONS

§ 371 (c)(1),
(2) Date: **Jan. 11, 2021**

KR Notice of Patent Grant dated Dec. 22, 2022 issued in counterpart
application No. 10-2018-0080509, 4 pages.

(87) PCT Pub. No.: **WO2020/013625**

(Continued)

PCT Pub. Date: **Jan. 16, 2020**

Primary Examiner — Jacob R Crum

(65) **Prior Publication Data**

(74) *Attorney, Agent, or Firm* — The Farrell Law Firm,
P.C.

US 2021/0280961 A1 Sep. 9, 2021

(30) **Foreign Application Priority Data**

(57) **ABSTRACT**

Jul. 11, 2018 (KR) 10-2018-0080509

An electronic device comprising an array antenna according to various embodiments of the present invention may comprise: a housing comprising a first plate, a second plate facing away from the first plate, and a side member surrounding the space between the first plate and the second plate; a display visible through a part of the first plate; a first printed circuit board comprising a first surface facing the side member, a second surface facing away from the first surface, a first edge adjacent close to the first plate, and a second edge closer to the second plate than the first edge, the first printed circuit board comprising one or more conductive plates on the first surface; a second printed circuit board

(51) **Int. Cl.**

H05K 1/14 (2006.01)

H01Q 1/24 (2006.01)


(Continued)

(52) **U.S. Cl.**

CPC **H01Q 1/243** (2013.01); **H01Q 9/0407**
(2013.01); **H01Q 9/16** (2013.01); **H05K 1/142**
(2013.01);

(Continued)

(Continued)





US011929547B2

(12) **United States Patent**
Tsai et al.

(10) **Patent No.:** **US 11,929,547 B2**
(45) **Date of Patent:** **Mar. 12, 2024**

(54) **MOBILE DEVICE**
(71) Applicant: **HTC Corporation**, Taoyuan (TW)
(72) Inventors: **Tiao-Hsing Tsai**, Taoyuan (TW);
Chien-Pin Chiu, Taoyuan (TW);
Hsiao-Wei Wu, Taoyuan (TW);
Li-Yuan Fang, Taoyuan (TW);
Shen-Fu Tzeng, Taoyuan (TW);
Yi-Hsiang Kung, Taoyuan (TW)
(73) Assignee: **HTC Corporation**, Taoyuan (TW)
(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **18/297,325**

(22) Filed: **Apr. 7, 2023**

(65) **Prior Publication Data**
US 2023/0246328 A1 Aug. 3, 2023

Related U.S. Application Data
(63) Continuation of application No. 17/038,963, filed on Sep. 30, 2020, now Pat. No. 11,664,583, which is a (Continued)

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/335 (2015.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 1/243** (2013.01); **H01Q 5/335** (2015.01); **H01Q 9/04** (2013.01); **H01Q 9/42** (2013.01); **H01Q 21/28** (2013.01); **H04M 1/026** (2013.01)


(58) **Field of Classification Search**
CPC H01Q 1/243; H01Q 5/335; H01Q 9/04; H01Q 9/42; H01Q 21/28; H01Q 5/307; H01Q 5/328; H01Q 13/10; H04M 1/026
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
10,741,916 B2 8/2020 Li et al.
2015/0123871 A1 5/2015 Chang et al.
(Continued)
FOREIGN PATENT DOCUMENTS
CN 202585714 U 12/2012
CN 104143681 A 11/2014
(Continued)
OTHER PUBLICATIONS
Taiwanese Office Action and Search Report for Taiwanese Application No. 109112297, dated Oct. 30, 2020.
(Continued)

Primary Examiner — Hai V Tran
Assistant Examiner — Michael M Bouizza
(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **ABSTRACT**
A mobile device includes a system circuit board, a metal frame, one or more other antenna elements, a display device, a first feeding element, and an RF (Radio Frequency) module. The system circuit board includes a system ground plane. The metal frame at least includes a first portion and a second portion. The metal frame at least has a first cut point positioned between the first portion and the second portion. The metal frame further has a second cut point for separating the other antenna elements from the first portion. The first cut point is arranged to be close to a middle region of the display device. The first feeding element is directly or indirectly electrically connected to the first portion. A first antenna structure is formed by the first feeding element and the first portion.

44 Claims, 14 Drawing Sheets





US011929557B2

(12) **United States Patent**
Takayama et al.

(10) **Patent No.:** **US 11,929,557 B2**
(45) **Date of Patent:** **Mar. 12, 2024**

(54) **ANTENNA MODULE AND COMMUNICATION DEVICE EQUIPPED WITH THE SAME**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Nagaokakyo (JP)

(72) Inventors: **Keisei Takayama**, Nagaokakyo (JP);
Hirotsugu Mori, Nagaokakyo (JP)

(73) Assignee: **MURATA MANUFACTURING CO., LTD.**,
Nagaokakyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 127 days.

(21) Appl. No.: **17/847,254**

(22) Filed: **Jun. 23, 2022**

(65) **Prior Publication Data**
US 2022/0328983 A1 Oct. 13, 2022

Related U.S. Application Data
(63) Continuation of application No. PCT/JP2020/039810, filed on Oct. 23, 2020.

(30) **Foreign Application Priority Data**
Dec. 26, 2019 (JP) 2019-236703

(51) **Int. Cl.**
H01Q 21/30 (2006.01)
H01Q 21/00 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 21/30** (2013.01); **H01Q 21/0025** (2013.01); **H01Q 21/065** (2013.01); **H04M 1/026** (2013.01)

(58) **Field of Classification Search**
CPC .. H01Q 21/30; H01Q 21/0025; H01Q 21/065; H04M 1/026
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2004/0196203 A1 * 10/2004 Lier H01Q 21/067 343/824

FOREIGN PATENT DOCUMENTS

JP 60-1014 U1 1/1985
JP 2000-269735 A 9/2000
(Continued)

OTHER PUBLICATIONS


International Search Report and Written Opinion dated Dec. 28, 2020, received for PCT Application PCT/JP2020/039810, filed on Oct. 23, 2020, 10 pages including English Translation.
(Continued)

Primary Examiner — Jimmy T Vu
(74) *Attorney, Agent, or Firm* — XSENSUS LLP

(57) **ABSTRACT**

An antenna module radiates radio waves upon receiving a radio-frequency signal output from an RFIC. The antenna module includes flat radiating elements that radiate radio waves in a first polarization direction, feed conductors that each supply a radio-frequency signal from the RFIC to an associated one of the radiating elements, and a ground electrode disposed opposite the radiating elements. As viewed from the RFIC, frequency characteristics of an impedance of the radiating element are different from frequency characteristics of an impedance of the radiating element. Under a condition a frequency band in which a return loss is less than or equal to a predetermined value is defined as an operable band width in each of the radiating elements, the operable band width of the radiating element partially overlaps the operable band width of the radiating element.

20 Claims, 47 Drawing Sheets





US011929560B2

(12) **United States Patent**
Komura

(10) **Patent No.:** **US 11,929,560 B2**
(45) **Date of Patent:** **Mar. 12, 2024**

(54) **ANTENNA DEVICE AND RADIO COMMUNICATION DEVICE INCLUDING THE SAME**

(71) Applicant: **Murata Manufacturing Co., Ltd.**,
Kyoto (JP)

(72) Inventor: **Ryo Komura**, Kyoto (JP)

(73) Assignee: **MURATA MANUFACTURING CO., LTD.**, Kyoto (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 7 days.

(21) Appl. No.: **17/657,174**

(22) Filed: **Mar. 30, 2022**

(65) **Prior Publication Data**

US 2022/0224008 A1 Jul. 14, 2022

Related U.S. Application Data

(63) Continuation of application No. PCT/JP2020/033117, filed on Sep. 1, 2020.

(30) **Foreign Application Priority Data**

Oct. 3, 2019 (JP) 2019-182742

(51) **Int. Cl.**
H01Q 5/00 (2015.01)
H01Q 1/38 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 5/321** (2015.01); **H01Q 1/38** (2013.01); **H01Q 5/20** (2015.01); **H01Q 9/0414** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 5/321; H01Q 5/20; H01Q 9/285; H01Q 1/48; H01Q 1/08; H01Q 1/38;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,163,300 A 12/2000 Ishikawa et al.
7,598,921 B2* 10/2009 Ge H01Q 5/357
343/700 MS

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2821190 A1 * 1/2014 H01Q 1/242
CN 100428563 C * 10/2008

(Continued)

OTHER PUBLICATIONS

International Search Report for PCT/JP2020/033117 dated Nov. 24, 2020.


Primary Examiner — Vibol Tan

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **ABSTRACT**

A dual-band antenna device allowed to perform communication at a first frequency in a predetermined frequency band and at a second frequency in a frequency band higher than the predetermined frequency band includes: a ground conductor; a folded antenna conductor including a first linear part and a second linear part that are caused to face each other at a distance by folding; an LC resonant circuit that is included in the folded antenna conductor, that lets the first frequency pass, and that lets the second frequency attenuate; and a feeding point between the ground conductor and the folded antenna conductor. A narrow gap part is provided between the first linear part and the second linear part of the folded antenna conductor, the narrow gap part measuring a distance shorter than a distance measured in a different portion between the first linear part and the second linear part.

16 Claims, 5 Drawing Sheets





US011929561B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,929,561 B2**
(45) **Date of Patent:** **Mar. 12, 2024**

(54) **ANTENNA MODULE**
(71) Applicant: **PEGATRON CORPORATION**, Taipei (TW)
(72) Inventors: **I-Shu Lee**, Taipei (TW); **Chih-Hung Cho**, Taipei (TW); **Hau Yuen Tan**, Taipei (TW); **Chien-Yi Wu**, Taipei (TW); **Po-Sheng Chen**, Taipei (TW); **Chao-Hsu Wu**, Taipei (TW); **Yi Chen**, Taipei (TW); **Hung-Ming Yu**, Taipei (TW); **Chih-Chien Hsieh**, Taipei (TW)

(73) Assignee: **PEGATRON CORPORATION**, Taipei (TW)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 120 days.

(21) Appl. No.: **17/857,676**

(22) Filed: **Jul. 5, 2022**

(65) **Prior Publication Data**
US 2023/0042814 A1 Feb. 9, 2023

(30) **Foreign Application Priority Data**
Aug. 6, 2021 (TW) 110129175

(51) **Int. Cl.**
H01Q 1/24 (2006.01)
H01Q 5/371 (2015.01)
H01Q 9/04 (2006.01)
(52) **U.S. Cl.**
CPC **H01Q 5/371** (2015.01); **H01Q 1/241** (2013.01); **H01Q 9/0421** (2013.01)

(58) **Field of Classification Search**
CPC H01Q 5/371; H01Q 1/241; H01Q 9/0421; H01Q 1/2266; H01Q 5/40; H01Q 9/40; H01Q 9/42; H01Q 21/28; H01Q 1/48
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
8,164,538 B2 * 4/2012 Montgomery H01Q 9/285 343/820
2002/0196192 A1 * 12/2002 Nagumo H01Q 5/392 343/702


(Continued)

FOREIGN PATENT DOCUMENTS
TW I671947 9/2019
TW I709280 11/2020
TW I715313 1/2021

Primary Examiner — Hai V Tran
Assistant Examiner — Michael M Bouizza
(74) *Attorney, Agent, or Firm* — J.C. PATENTS

(57) **ABSTRACT**
An antenna module includes a first antenna radiator including a feeding terminal, a second antenna radiator, a first ground radiator, a second ground radiator and a capacitive element. The second antenna radiator is disposed on one side of the first antenna radiator, and a first gap is formed between a main portion of the second antenna radiator and the first antenna radiator. The first ground radiator is disposed on another side of the first antenna radiator, and a second gap is formed between the first antenna radiator and the first antenna radiator. The second ground radiator is disposed between the second antenna radiator and the first ground radiator, and a third gap is formed between the second ground radiator and a first branch of the second antenna radiator. The capacitive element is disposed on the third gap and connects the second antenna radiator and the second ground radiator.

10 Claims, 7 Drawing Sheets





US011929564B2

(12) **United States Patent**
Woo

(10) **Patent No.:** **US 11,929,564 B2**
(45) **Date of Patent:** **Mar. 12, 2024**

(54) **ELECTRONIC DEVICE COMPRISING 5G ANTENNA**

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(72) Inventor: **Seungmin Woo**, Seoul (KR)

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 138 days.

(21) Appl. No.: **17773,008**

(22) PCT Filed: **Oct. 30, 2019**

(86) PCT No.: **PCT/KR2019/014421**

§ 371 (c)(1),

(2) Date: **Apr. 28, 2022**

(87) PCT Pub. No.: **WO2021/085669**

PCT Pub. Date: **May 6, 2021**

(65) **Prior Publication Data**

US 2022/0407233 A1 Dec. 22, 2022

(51) **Int. Cl.**
H01Q 9/06 (2006.01)
H01Q 1/24 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01Q 9/065** (2013.01); **H01Q 1/243** (2013.01); **H01Q 1/48** (2013.01); **H01Q 5/385** (2015.01);
(Continued)

(58) **Field of Classification Search**
CPC H01Q 9/065; H01Q 1/243; H01Q 1/48; H01Q 5/385; H01Q 21/062; H01Q 23/00;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2003/0103006 A1* 6/2003 Yamada H01Q 1/38 343/700 MS

2008/0316118 A1 12/2008 Puente Baliarda et al.
(Continued)

FOREIGN PATENT DOCUMENTS

CN 103703620 4/2014

CN 107046183 8/2017

(Continued)

OTHER PUBLICATIONS

The State Intellectual Property Office of the People's Republic of China Application Serial No. 202010236799.X, Office Action dated Dec. 7, 2023, 6 pages.

(Continued)


Primary Examiner — Fitwi Y Hailegiorgis

(74) *Attorney, Agent, or Firm* — LEE, HONG, DEGERMAN, KANG & WAIMEY

(57) **ABSTRACT**

Provided is an electronic device comprising an antenna for 5G communication according to the present invention. The electronic device comprises an array antenna which is implemented as a multi-layer substrate inside the electronic device and includes multiple antenna elements. Each of the multiple antenna elements of the array antenna may comprise: a patch antenna disposed on a specific layer of the multi-layer substrate and including a first patch and a second patch which are spaced a predetermined distance apart from each other; and a ground layer disposed under the patch antenna and having a slot. Meanwhile, the first patch and the second patch may be connected to the ground layer through multiple vias, and the multiple vias may be arranged in the longitudinal direction of the slot while being adjacent to the slot.

20 Claims, 25 Drawing Sheets





US011929768B2

(12) **United States Patent**
Lee et al.

(10) **Patent No.:** **US 11,929,768 B2**
(45) **Date of Patent:** **Mar. 12, 2024**

(54) **ANTENNA AND ELECTRONIC DEVICE INCLUDING THE SAME**

(51) **Int. Cl.**
H01Q 1/50 (2006.01)
H01Q 1/24 (2006.01)
(Continued)

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(52) **U.S. Cl.**
CPC *H04B 1/0064* (2013.01); *H01Q 1/243*
(2013.01); *H01Q 5/50* (2015.01); *H01Q 21/08*
(2013.01);
(Continued)

(72) Inventors: **Yoondo Lee**, Suwon-si (KR); **Sigwan Kim**, Suwon-si (KR); **Hyelee Song**, Suwon-si (KR); **Dongryul Shin**, Suwon-si (KR); **Dongmin Shin**, Suwon-si (KR); **Yoonjae Lee**, Suwon-si (KR); **Handug Lee**, Suwon-si (KR); **Woosik Cho**, Suwon-si (KR); **Weonjai Choi**, Suwon-si (KR); **Taewook Ham**, Suwon-si (KR); **Kyunggu Kim**, Suwon-si (KR); **Hongpyo Bae**, Suwon-si (KR); **Jinwoo Jung**, Suwon-si (KR); **Youngjun Cho**, Suwon-si (KR)

(58) **Field of Classification Search**
CPC H04B 1/0064; H01Q 5/50; H01Q 1/243; H01Q 1/08; H05K 1/0243; H05K 1/0277; H05K 7/1427; H05K 2201/10098
See application file for complete search history.

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,531,087 B2 12/2016 Ying
9,750,132 B2 8/2017 Kato
(Continued)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 763 days.

FOREIGN PATENT DOCUMENTS

CN 101360137 A 2/2009
CN 204244560 U 4/2015
(Continued)

(21) Appl. No.: **16/976,907**

OTHER PUBLICATIONS

(22) PCT Filed: **Jul. 31, 2020**

International Search Report dated Oct. 30, 2020, in International Application No. PCT/KR2020/010158.

(86) PCT No.: **PCT/KR2020/010158**

§ 371 (c)(1),
(2) Date: **Aug. 31, 2020**

(Continued)

(87) PCT Pub. No.: **WO2021/025394**

Primary Examiner — Moustapha Diaby

PCT Pub. Date: **Feb. 11, 2021**

(74) *Attorney, Agent, or Firm* — Jefferson IP Law, LLP

(65) **Prior Publication Data**

US 2023/0155610 A1 May 18, 2023

(57) **ABSTRACT**

(30) **Foreign Application Priority Data**

Aug. 6, 2019 (KR) 10-2019-0095741

In embodiments, an electronic device may include a housing having an inner space, a printed circuit board (PCB) disposed in the inner space of the housing, a first antenna structure disposed at a position spaced apart from the PCB, and transmitting and/or receiving a radio signal in a first

(Continued)

